



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/652,323	08/29/2003	Deirdre H. Elqaq	30320/P15128	1631
4743	7590	02/01/2006	EXAMINER	
MARSHALL, GERSTEIN & BORUN LLP 233 S. WACKER DRIVE, SUITE 6300 SEARS TOWER CHICAGO, IL 60606			ANGEBRANNDT, MARTIN J	
			ART UNIT	PAPER NUMBER
			1756	

DATE MAILED: 02/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/652,323

Applicant(s)

ELQAQ ET AL.

Examiner

Martin J. Angebranndt

Art Unit

1756

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 December 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 8/29/03 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>12/01/03</u> . | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1756

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1,8-10, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kalbitzer et al. '432, in view of Kusoni et al. '904.

Kalbitzer et al. '432 teaches the formation of a photomask by providing a substrate with a thin layer of crystalline silicon coated upon it and the use of ion bombardment using a focused ion beam to transform portions into the amorphous state. The use of ions of more than about 30 A.U. is described (3/28-4/19). The formation of masks having grating patterns and the like is described. (4/51-63).

Kusoni et al. '904 teaches the formation of a resist pattern atop a silicon substrate, where ion beams of Si (28 A.U.) or Ge are irradiated and the photoresist acts as a mask, allowing the ions to reach the Si substrate only in the uncovered areas. In the uncovered areas, the silicon is changed to the amorphous state. The resist is then removed. This is described as an alternative to using focused (converging) beams (11/31-39)

It would have been obvious to modify the process of forming the photo mask taught by Kalbitzer et al. '432 by using the resist masking process taught by Kusoni et al. '904 in place of the focused ion beam writing process with a reasonable expectation of forming a useful photomask based upon the disclosure of equivalence by Kusoni et al. '904.

A photomask is an optical device.

Art Unit: 1756

3. Claims 1-3,6-10, and 14-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strain '299, in view of Kalnitsky et al. '774.

Strain '299 teaches a silicon substrate which is oxidized to form an thin oxide layer, followed by a silicon nitride coating. An opening is formed in the nitride layer, followed by the use of a second photoresist mask to pattern the oxide film. Then ion implantation is used to dope the silicon layer. The use of boron, germanium, arsenic or phosphorous is disclosed. The oxide is then removed back to the patterned nitride and oxide growth in the exposed silicon is promoted. In the intermediate article, the doing is into silicon, which is later oxidized to form a doped silicon dioxide waveguiding region (2/38-3/24). The resist may be left in place during the ion implantation (4/ 20-24).

Kalnitsky et al. '774 teaches a silicon substrate which is oxidized, provided with a silicon nitride layer, which acts as an ion implantation mask, to facilitate selective implantation of Si ions into the silicon oxide layer. (3/12-36). The results in a waveguiding region where the refractive index is higher than the surrounding silicon dioxide layer.

It would have been obvious to modify the process of forming a waveguide taught by Strain '299 by using Si ion doping as taught by Kalnitsky et al. '774 with a reasonable expectation of forming a useful waveguide based upon the teachings of Kalnitsky et al. '774.

The examiner notes that the applicant did not attempt to claim the embodiment of figure 2.

4. Claims 1-10, and 14-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strain '299, in view of Kalnitsky et al. '774 and Kase et al. '794.

Art Unit: 1756

Kase et al. '794 teach doping with crystalline silicon with Ge or Si to preamorphize the crystalline silicon, so that when boron, phosphorous or arsenic dopants are implanted, ion channeling is minimized and the implant profile is not broadened by diffusion of the second dopant. (1/47-66, 2/52-60).

It would have been obvious to modify the process of forming a waveguide taught by Strain '299 by using Si ion doping first as taught by Kase et al. '794 to form preamorphized regions followed by the boron, arsenic or phosphorous dopants to control diffusion with a reasonable expectation of being able to useful waveguide having a region doped with Si based upon the teachings of Kalnitsky et al. '774.

5. Claims 1-11, and 14-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strain '299, in view of Kalnitsky et al. '774 and Kase et al. '794, further in view of Koblinger et al. '317 and Coronel et al. '585.

Koblinger et al. '317 teach etching silicon dioxide and nitrides using a photoresist mask and CF_4 , CHF_3 and the like is disclosed. (1/46-62).

Coronel et al. '585 teaches silicon nitride as a ion implantation mask for boron, where $\text{CF}_4/\text{CHF}_3/\text{Ar}$ is used to etch the areas not covered by the photoresist.

In addition to the basis provided above, the examiner holds that it would have been obvious to modify the processes rendered obvious by the combination of Strain '299, Kalnitsky et al. '774 and Lee et al. '640 by using known etchings processes, for silicon oxide and silicon nitride ion masking materials, such as those based upon CF_4 , CHF_3 and/or Ar taught by Koblinger et al. '317 and Coronel et al. '585 as useful in etching silicon nitride and silicon dioxide with a reasonable expectation of being able to pattern these ion masking layers.

Art Unit: 1756

6. Claims 1-2,7-10, and 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653, in view of Kusoni et al. '904.

Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653 teach a crystalline silicon layer formed upon a silicon dioxide substrate, which is subjected to a masked irradiation using Xe ions to form a triangular shaped amorphous silicon region (see figure 4), followed by a resist patterning and masking etching down to the silicon dioxide to form ribs of silicon. (Section III).

It would have been obvious to modify the process of forming the photo mask taught by Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653 by using the resist masking process and the silicon implantation/bombardment taught by Kusoni et al. '904 with a reasonable expectation of forming a useful waveguide based upon the disclosure of amorphization using silicon implantation by Kusoni et al. '904.

7. Claims 1-3 and 6-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653 and Kusoni et al. '904, in view of Strain '299, Kalnitsky et al. '774 and Kase et al. '794.

In addition to the basis provided above, the examiner holds that it would have been obvious to modify the processes rendered obvious by the combination of Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653 and Kusoni et al. '904 by using Si ion doping first as taught by Kase et al. '794 to form preamorphized regions followed by the boron, arsenic or phosphorous dopants to control diffusion with a reasonable expectation of being able to useful waveguide having a region doped with Si based upon the

Art Unit: 1756

teachings of Kalnitsky et al. '774 and the boron, arsenic or phosphorous dopants disclosed by Strain '299.

8. Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653, Kusoni et al. '904, Strain '299, Kalnitsky et al. '774 and Kase et al. '794, further in view of Koblinger et al. '317 and Coronel et al. '585.

In addition to the basis provided above, the examiner holds that it would have been obvious to modify the processes rendered obvious by the combination of Dood et al. "amorphous silicon waveguides for microphotronics", J. Appl. Phys. Vol. 92(2) pp, 649-653, Kusoni et al. '904, Strain '299, Kalnitsky et al. '774 and Kase et al. '794 by using known etchings processes, for silicon oxide and silicon nitride ion masking materials, such as those based upon CF_4 , CHF_3 and/or Ar taught by Koblinger et al. '317 and Coronel et al. '585 as useful in etching silicon nitride and silicon dioxide with a reasonable expectation of being able to pattern these ion masking layers.

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

JP 63-025287 teaches gratings formed by Si implantation (see figure 2)

Vernon et al. '216 teach waveguides formed in silicon

Fattakhov et al., "Formation of periodic diffraction structures", Opt. & Spectrosc., Vol. 89(1) (2000) pp. 150-156 teaches the implantation of phosphorous ions via a mesh into silicon to form grating structures.


Art Unit: 1756

Fattakhov et al., "The dynamics of recrystallization and melting ...", Vacuum Vol. 51(2) pp. 255-259 (1998) teaches the implantation of phosphorous ions via a mesh into silicon to form grating structures. The disclosure of the use of other ions, including Si, is also made on page 255.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Martin J. Angebranndt whose telephone number is 571-272-1378. The examiner can normally be reached on Monday-Thursday and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Huff can be reached on 571-272-1385. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Martin J Angebranndt
Primary Examiner
Art Unit 1756

01/26/2006